


V-CAM 814 STOPPER ROLLER

This solution has been especially designed for the ANTAL stopper and allows "in" and "out" manoeuvres to be guided away from the stopper with the most direct and efficient lead. In particular, the roller allows for the same winch to be used for many manoeuvres.

MATERIALS: Mekton sheaves, cover in hard black anodized aluminum.



MODEL	SHEAVES N°	LENGTH mm	WEIGHT kg	BOLTS N° x Ø mm
513.032	3	110	0.18	3 x Ø6
514.032	4	139	0.22	4 x Ø6
515.032	5	168	0.27	5 x Ø6



MODEL	VERSION
513 / E	ENGLISH
513 / F	FRENCH
513 / I	ITALIAN

A set of 54 stickers is provided for an easy indication of manoeuvres; colors: red, green and black.




Supplied by American Rigging Supply, Inc.

V-GRIP STOPPER ROLLER

This solution has been especially designed for the new ANTAL stopper and allows "in" and "out" manoeuvres to be guided away from the stopper with the most direct and efficient lead. In particular, the roller allows for the same winch to be used for many manoeuvres.

MATERIALS: Mekton sheaves, cover in hard black anodized aluminum.



MODEL	SHEAVES N°	LENGTH mm	WEIGHT kg	BOLTS N° x Ø mm
522.032	2	89	0.14	2 x Ø6
523.032	3	124	0.19	3 x Ø6
524.032	4	160	0.24	4 x Ø6
525.032	5	193	0.30	5 x Ø6
526.032	6	228	0.35	6 x Ø6



MODEL	VERSION
513 / E	ENGLISH
513 / F	FRENCH
513 / I	ITALIAN

A set of 54 stickers is provided for an easy indication of manoeuvres; colors: red, green and black.




V-GRIP PLUS STOPPER ROLLER

This solution has been designed for the V-GRIP PLUS.

It allows manoeuvres to be guided from the stopper to the winch.

Materials: mekton sheaves, cover in hard black anodized aluminum.



MODEL	SHEAVES N°	LENGTH mm	WEIGHT kg	BOLTS N° x Ø mm
523.042	3	125	0.43	3 x Ø8
524.042	4	165	0.57	4 x Ø8



Supplied by American Rigging Supply, Inc.




V-GRIP MAXI STOPPER ROLLER

This solution has been designed for the V-GRIP MAXI.

It allows manoeuvres to be guided from the stopper to the winch.

Materials: mekton sheaves, cover in hard black anodized aluminum.



MODEL	SHEAVES N°	LENGTH mm	WEIGHT kg	BOLTS N° x Ø mm
523.052	3	133	0.50	3 x Ø8
524.052	4	177	0.64	4 x Ø8
525.052	5	221	0.78	5 x Ø8
526.052	6	265	0.92	6 x Ø8
527.052	7	309	1.06	7 x Ø8



Supplied by American Rigging Supply, Inc.